



Screw Compressor APS 20D Combi Dry 10 bar 20 hp/15 kW 1983 l/min 500 l

Product Images



Additional Information

SKU	36214
EAN	08712418663662
Length (mm)	1750
Width (mm)	650
Height (mm)	1750
Weight (kg)	410.000000
Workload (labor/rest %)	100/0
Motor power (hp / kW)	20.0 HP / 15.0 kW
Motor efficiency class	IE3
Motor Type	AC
Drive	V-belt driven
Control panel	ES 4000 S
Dryer	Yes
Dryer voltage (V)	230
Air receiver	Yes
Capacity air receiver (l)	500
Galvanized tank	No
Maximum pressure (bar)	10
Free air delivery (l/min)	1983
Free air delivery (m3/h)	118.98
Noise level dB(A) (0 m)	65
Noise level dB(A) (4 m)	45
Cut-in pressure (bar)	9.7
Plug type	EU
Refrigerant	R134a
Main air connection (")	3/4

Minimum ambient temperature (°C)	1
Maximum ambient temperature (°C)	40
Oilfree	No
Oil capacity (l)	4
Air-end	C55
Stages	1
Start	Y-Δ
Voltage (V)	400 V / 50 Hz / 3 Ph
Variable speed (IVR)	No

