



Compressor HK 600-270 Pro 10 bar 4 hp/3 kW 415 l/min 270 l

Product Images



Additional Information

SKU	360565
EAN	8712418332452
Length (mm)	1500
Width (mm)	565
Height (mm)	1050
Weight (kg)	134.000000
Workload (labor/rest %)	50/50
Start	Direct
Drive	V-belt driven
Belt size	A48 (1219)
Flywheel diameter (mm)	320
Pulley diameter (mm)	130
Cylinders	2
Voltage (V)	400 V / 50 Hz / 3 Ph
Air receiver	Yes
Capacity air receiver (l)	270
Galvanized tank	No
Intake capacity (l/min)	539
Free air delivery (l/min)	415
Free air delivery (m3/h)	24.9
Cut-in pressure (bar)	8
Maximum pressure (bar)	10
Noise level dB(A) (0 m)	97
Noise level dB(A) (4 m)	77
Noise level dB(A) (7 m)	72
Sound volume reduction	No

Main air connection (")	1/2
Connection type	2 Universal + Euro
Number of couplings air connections	2 - 3
Number of reducable couplings air connections	2
Stages	1
Oilfree	No
Filter with reducer	No
Pump speed (RPM)	1400
Motor power (hp / kW)	4.0 HP / 3.0 kW
Wheels	Yes
Pump type	K18C
Intercooler	No
After cooler	Yes

