




Compressor HK 1500-500 11 bar 10 hp/7.5 kW 747 l/min 500 l

Product Images



Additional Information

SKU	360673
EAN	08712418332506
Length (mm)	1930
Width (mm)	630
Height (mm)	1370
Weight (kg)	263.000000
Workload (labor/rest %)	50/50
Start	Direct
Drive	V-belt driven
Belt size	SPB 2180
Flywheel diameter (mm)	550
Pulley diameter (mm)	180
Cylinders	2
Voltage (V)	400 V / 50 Hz / 3 Ph
Air receiver	Yes
Capacity air receiver (l)	500
Galvanized tank	No
Intake capacity (l/min)	1074
Free air delivery (l/min)	747
Free air delivery (m3/h)	44.82
Cut-in pressure (bar)	9
Maximum pressure (bar)	11
Noise level dB(A) (0 m)	79
Noise level dB(A) (4 m)	59
Noise level dB(A) (7 m)	54
Sound volume reduction	No

Main air connection (")	1/2
Number of reducable couplings air connections	-
Stages	2
Oilfree	No
Filter with reducer	No
Pump speed (RPM)	1000
Motor power (hp / kW)	10.0 HP / 7.5 kW
Wheels	No
Pump type	K50
Intercooler	Yes
After cooler	Yes

