




Compressor K 500-2000S 14 bar 15 hp/11 kW 803 l/min 500 l

Product Images



Additional Information

SKU	36526-N
EAN	08712418334258
Length (mm)	1930
Width (mm)	640
Height (mm)	1410
Weight (kg)	364.000000
Workload (labor/rest %)	60/40
Start	Y-Δ
Drive	V-belt driven
Belt size	SPB 2120
Flywheel diameter (mm)	550
Pulley diameter (mm)	140
Cylinders	4
Voltage (V)	400 V / 50 Hz / 3 Ph
Air receiver	Yes
Capacity air receiver (l)	500
Galvanized tank	No
Intake capacity (l/min)	1090
Free air delivery (l/min)	803
Free air delivery (m ³ /h)	48.18
Cut-in pressure (bar)	12
Maximum pressure (bar)	14
Noise level dB(A) (0 m)	79
Noise level dB(A) (4 m)	59
Noise level dB(A) (7 m)	54
Sound volume reduction	No

Main air connection (")	1/2
Number of reducable couplings air connections	-
Stages	2
Oilfree	No
Filter with reducer	No
Pump speed (RPM)	750
Motor power (hp / kW)	15.0 HP / 11.0 kW
Wheels	No
Pump type	K60
Intercooler	Yes
After cooler	Yes

