



# Compressor HK 625-90 Pro 10 bar 4 hp/3 kW 415 l/min 90 l

## Product Images



## Additional Information

---

|                                       |                      |
|---------------------------------------|----------------------|
| SKU                                   | 360669               |
| EAN                                   | 8712418363982        |
| Length (mm)                           | 955                  |
| Width (mm)                            | 500                  |
| Height (mm)                           | 905                  |
| Weight (kg)                           | 120.000000           |
| Workload (labor/rest %)               | 50/50                |
| Start                                 | Direct               |
| Drive                                 | V-belt driven        |
| Belt size                             | A48 (1219)           |
| Flywheel diameter (mm)                | 320                  |
| Pulley diameter (mm)                  | 130                  |
| Cylinders                             | 2                    |
| Voltage (V)                           | 400 V / 50 Hz / 3 Ph |
| Air receiver                          | Yes                  |
| Capacity air receiver (l)             | 90                   |
| Galvanized tank                       | No                   |
| Intake capacity (l/min)               | 539                  |
| Free air delivery (l/min)             | 415                  |
| Free air delivery (m <sup>3</sup> /h) | 24.9                 |
| Cut-in pressure (bar)                 | 8                    |
| Maximum pressure (bar)                | 10                   |
| Noise level dB(A) (0 m)               | 97                   |
| Noise level dB(A) (4 m)               | 77                   |
| Noise level dB(A) (7 m)               | 72                   |
| Sound volume reduction                | No                   |

|   |                    |
|---|--------------------|
| Main air connection (")                       | 1/2                |
| Connection type                               | 2 Universal + Euro |
| Number of reducable couplings air connections | 1                  |
| Stages  | 1                  |
| Oilfree                                       | No                 |
| Filter with reducer                           | No                 |
| Pump speed (RPM)                              | 1400               |
| Motor power (hp / kW)                         | 4.0 HP / 3.0 kW    |
| Wheels  | Yes                |
| Pump type                                     | K18C               |
| Intercooler                                   | No                 |
| After cooler                                  | Yes                |

