





Compressor K 100-450 14 bar 3 hp/2.2 kW 238 l/min 100 l

Product Images



Additional Information

SKU	36512-N
EAN	08712418305333
Length (mm)	1150
Width (mm)	420
Height (mm)	865
Weight (kg)	101.500000
Workload (labor/rest %)	60/40
Start	Direct
Drive	V-belt driven
Belt size	A57 (1450)
Flywheel diameter (mm)	385
Pulley diameter (mm)	100
Cylinders	2
Voltage (V)	400 V / 50 Hz / 3 Ph
Air receiver	Yes
Capacity air receiver (l)	100
Galvanized tank	No
Intake capacity (l/min)	450
Free air delivery (l/min)	238
Free air delivery (m3/h)	14.28
Cut-in pressure (bar)	12
Maximum pressure (bar)	14
Noise level dB(A) (0 m)	97
Noise level dB(A) (4 m)	77
Noise level dB(A) (7 m)	72
Sound volume reduction	No

Main air connection (")	1/2
Number of reducable couplings air connections	-
Stages	2
Oilfree	No
Filter with reducer	No
Pump speed (RPM)	740
Motor power (hp / kW)	3.0 HP / 2.2 kW
Wheels	No
Pump type	K25
Intercooler	Yes
After cooler	Yes

