Compressor K 200-600 14 bar 4 hp/3 kW 268 l/min 200 l

Product Images

Additional Information

SKU	36500-N
EAN	08712418305357
Length (mm)	1450
Width (mm)	460
Height (mm)	980
Weight (kg)	140.000000
Workload (labor/rest %)	60/40
Start	Direct
Drive	V-belt driven
Belt size	A60 (1524)
Flywheel diameter (mm)	385
Pulley diameter (mm)	112
Cylinders	2
Voltage (V)	400 V / 50 Hz / 3 Ph
Air receiver	Yes
Capacity air receiver (l)	200
Galvanized tank	No
Intake capacity (l/min)	600
Free air delivery (l/min)	268
Free air delivery (m3/h)	16.08
Cut-in pressure (bar)	12
Maximum pressure (bar)	14
Noise level dB(A) (0 m)	97
Noise level dB(A) (4 m)	77
Noise level dB(A) (7 m)	72
Sound volume reduction	No

Main air connection (")	1/2
Number of couplings air connections	-
Number of reducable couplings air connections	-
Stages	2
Oilfree	No
Filter with reducer	No
Pump speed (RPM)	830
Motor power (hp / kW)	4.0 HP / 3.0 kW
Wheels	No
Pump type	K25
Intercooler	Yes
After cooler	Yes