





Compressor K 300-600 14 bar 4 hp/3 kW 268 l/min 300 l

Product Images



Additional Information

| | |
|---------------------------------------|----------------------|
| SKU | 36524-N |
| EAN | 08712418305364 |
| Length (mm) | 1630 |
| Width (mm) | 500 |
| Height (mm) | 1050 |
| Weight (kg) | 163.000000 |
| Workload (labor/rest %) | 60/40 |
| Start | Direct |
| Drive | V-belt driven |
| Belt size | A60 (1524) |
| Flywheel diameter (mm) | 385 |
| Pulley diameter (mm) | 112 |
| Cylinders | 2 |
| Voltage (V) | 400 V / 50 Hz / 3 Ph |
| Air receiver | Yes |
| Capacity air receiver (l) | 300 |
| Galvanized tank | No |
| Intake capacity (l/min) | 600 |
| Free air delivery (l/min) | 268 |
| Free air delivery (m ³ /h) | 16.08 |
| Cut-in pressure (bar) | 12 |
| Maximum pressure (bar) | 14 |
| Noise level dB(A) (0 m) | 97 |
| Noise level dB(A) (4 m) | 77 |
| Noise level dB(A) (7 m) | 72 |
| Sound volume reduction | No |

| | |
|---|-----------------|
| Main air connection (") | 1/2 |
| Number of reducable couplings air connections | - |
| Stages | 2 |
| Oilfree | No |
| Filter with reducer | No |
| Pump speed (RPM) | 830 |
| Motor power (hp / kW) | 4.0 HP / 3.0 kW |
| Wheels | No |
| Pump type | K25 |
| Intercooler | Yes |
| After cooler | Yes |

