



# Compressor K 300-700S 14 bar 5.5 hp/4 kW 450 l/min 300 l

## Product Images



## Additional Information

---

SKU	36525-N
EAN	08712418305388
Length (mm)	1630
Width (mm)	500
Height (mm)	1120
Weight (kg)	190.000000
Workload (labor/rest %)	60/40
Start	Y-Δ
Drive	V-belt driven
Belt size	SPB 1550
Flywheel diameter (mm)	400
Pulley diameter (mm)	112
Cylinders	2
Voltage (V)	400 V / 50 Hz / 3 Ph
Air receiver	Yes
Capacity air receiver (l)	300
Galvanized tank	No
Intake capacity (l/min)	700
Free air delivery (l/min)	450
Free air delivery (m <sup>3</sup> /h)	27
Cut-in pressure (bar)	12
Maximum pressure (bar)	14
Noise level dB(A) (0 m)	98
Noise level dB(A) (4 m)	78
Noise level dB(A) (7 m)	73
Sound volume reduction	No

Main air connection (")	1/2
Number of reducable couplings air connections	-
Stages	2
Oilfree	No
Filter with reducer	No
Pump speed (RPM)	800
Motor power (hp / kW)	5.5 HP / 4.0 kW
Wheels	No
Pump type	K30
Intercooler	Yes
After cooler	Yes

