



Compressor K 500-700S 14 bar 5.5 hp/4 kW 450 l/min 500 l

Product Images



Additional Information

SKU	36510-N
EAN	08712418305401
Length (mm)	1930
Width (mm)	600
Height (mm)	1260
Weight (kg)	250.000000
Workload (labor/rest %)	60/40
Start	Y-Δ
Drive	V-belt driven
Belt size	SPB 1550
Flywheel diameter (mm)	400
Pulley diameter (mm)	112
Cylinders	2
Voltage (V)	400 V / 50 Hz / 3 Ph
Air receiver	Yes
Capacity air receiver (l)	500
Galvanized tank	No
Intake capacity (l/min)	700
Free air delivery (l/min)	450
Free air delivery (m ³ /h)	27
Cut-in pressure (bar)	12
Maximum pressure (bar)	14
Noise level dB(A) (0 m)	99
Noise level dB(A) (4 m)	79
Noise level dB(A) (7 m)	74
Sound volume reduction	No

Main air connection (")	1/2
Number of reducable couplings air connections	-
Stages	2
Oilfree	No
Filter with reducer	No
Pump speed (RPM)	800
Motor power (hp / kW)	5.5 HP / 4.0 kW
Wheels	No
Pump type	K30
Intercooler	Yes
After cooler	Yes

