




Compressor K 500-1000S 14 bar 7.5 hp/5.5 kW 481 l/min 500 l

Product Images



Additional Information

SKU	36516-N
EAN	08712418305395
Length (mm)	1930
Width (mm)	600
Height (mm)	1260
Weight (kg)	256.000000
Workload (labor/rest %)	60/40
Start	Y-Δ
Drive	V-belt driven
Flywheel diameter (mm)	400
Pulley diameter (mm)	120
Cylinders	2
Voltage (V)	400 V / 50 Hz / 3 Ph
Air receiver	Yes
Capacity air receiver (l)	500
Galvanized tank	No
Intake capacity (l/min)	1000
Free air delivery (l/min)	481
Free air delivery (m3/h)	28.86
Cut-in pressure (bar)	12
Maximum pressure (bar)	14
Noise level dB(A) (0 m)	99
Noise level dB(A) (4 m)	79
Noise level dB(A) (7 m)	74
Sound volume reduction	No
Main air connection (")	1/2

Number of reducable couplings air connections	-
Stages	2
Oilfree	No
Filter with reducer	No
Pump speed (RPM)	865
Motor power (hp / kW)	7.5 HP / 5.5 kW
Wheels	No
Pump type	K30
Intercooler	Yes
After cooler	Yes

