



Compressor K 500-1500S 14 bar 10 hp/7.5 kW 644 l/min 500 l

Product Images



Additional Information

SKU	36523-N
EAN	08712418305418
Length (mm)	1930
Width (mm)	640
Height (mm)	1350
Weight (kg)	325.000000
Workload (labor/rest %)	60/40
Start	Y-Δ
Drive	V-belt driven
Belt size	SPB 2120
Flywheel diameter (mm)	550
Pulley diameter (mm)	160
Cylinders	2
Voltage (V)	400 V / 50 Hz / 3 Ph
Air receiver	Yes
Capacity air receiver (l)	500
Galvanized tank	No
Intake capacity (l/min)	1500
Free air delivery (l/min)	644
Free air delivery (m3/h)	38.64
Cut-in pressure (bar)	12
Maximum pressure (bar)	14
Noise level dB(A) (0 m)	99
Noise level dB(A) (4 m)	79
Noise level dB(A) (7 m)	74
Sound volume reduction	No

Main air connection (")	1/2
Number of reducable couplings air connections	-
Stages	2
Oilfree	No
Filter with reducer	No
Pump speed (RPM)	850
Motor power (hp / kW)	10.0 HP / 7.5 kW
Wheels	No
Pump type	K50
Intercooler	Yes
After cooler	Yes

