



Compressor HL 275-50 8 bar 2 hp/1.5 kW 157 l/min 50 l

Product Images



THE NEW VALVE COMPLIES WITH THE
EUROPEAN STANDARD
*MANUFACTURED AFTER 01/06/2020



Additional Information

SKU	36856
EAN	08712418272024
Length (mm)	770
Width (mm)	330
Height (mm)	730
Weight (kg)	36.500000
Workload (labor/rest %)	30/70
Start	Direct
Drive	Direct driven 1:1
Cylinders	1
Voltage (V)	230 V / 50 Hz / 1 Ph
Air receiver	Yes
Capacity air receiver (l)	50
Galvanized tank	No
Intake capacity (l/min)	196
Free air delivery (l/min)	157
Free air delivery (m3/h)	9.42
Cut-in pressure (bar)	6
Maximum pressure (bar)	8
Noise level dB(A) (0 m)	93
Noise level dB(A) (4 m)	73
Noise level dB(A) (7 m)	68
Sound volume reduction	No
Main air connection (")	1/4
Connection type	2 Universal
Number of couplings air connections	2

Number of reducable couplings air connections	1
Stages	1
Oilfree	No
Filter with reducer	No
Pump speed (RPM)	2850
Motor power (hp / kW)	2.0 HP / 1.5 kW
Wheels	Yes
Intercooler	No
After cooler	No

